



**Rescue &
Treatment- 139**

spay and neuter- 84

Adoptions- 5

Dogs- 133

cats - 6

On- spot treatment - 2

Spaying- 52

Castration - 32

Dogs - 4

Cats - 1



- *Stray animal Feeding-*
550+ / day

- *Vaccinations - 118*

49 (Multi-antigen)

**48 Multi antigen+ ARV
combo vaccines,**

21 Anti-rabies




**Number of animals currently admitted- 87
(As per 31/01/2022)**

OTHER SURGERIES- 14



1. **Amputation** - 2
2. **Hematoma** - 2
3. **Eye surgeries** - 2
4. **Pinning** - 2
5. **Tumor surgeries** - 5
6. **Minor Surgeries** - 2



Milo was rescued with crushed face, from Romain Rolland Street, Puducherry. He had Maxillary fracture and tore nostrils.



Milo had a pinning surgery for maxillary fracture and his tore nostrils were sutured well. With 3 weeks of medical care, Milo recovered from his injury. He can eat and drink. Milo's face got its shape back. As a perfect healthy boy, he was sent back to his place after sterilisation and vaccination.



Suspecting an abscess on neck, this street dog- Brownie- was rescued to Bark India from Rainbow Nagar, Puducherry. A tumor was found on his neck and it was surgically removed by Bark India vets.

Brownie is getting healed at Bark India rescue centre.

A street dog named Blacky undergoing surgery for mammary tumor. Blacky was rescued from Alankuppam, Puducherry. As she was very weak, she was given food and supplements for days before surgery. She is waiting for recovery at Bark India with medical care.



From ABUSE to HAPPINESS- Adoption Stories



Rescued animals happily living their rest of life in new families gives the best feeling ever.

Good Boy's story starts with his rescue when he was found on street with a broken leg. He was sent to Bark India by Ms. Suganya. His one hind leg had femur fracture and vets did a pinning surgery for the broken leg.

Once he healed with medication, the pin was removed, Good Boy got sterilised and happily adopted to the family of Ms. Sonia Das.

Garry was abandoned on street by his family he lived as a street dog for 3 months. He was brought to Bark India by Mr. Devanathababu as Garry was beaten by someone. Garry was bleeding from mouth as one of his canine teeth was missing in the human attack. He was very scared and strange to humans due to the bitter experiences he had in life.

Slowly with medical care and care, Garry gained his health and started trusting humans. He was castrated and vaccinated when Ms. Jocelyn informed us her kindness to provide Garry a happy home.

After all the hardships in life, Garry became a family member of Ms. Jocelyn who adopted another abandoned Pomeranian from us.



Jack Sparrow- This abandoned Pomeranian dog was found at Kalaivana Nagar, Puducherry. He was given food by a local shopkeeper when Mr. Arun Balasagar found him. The dog was brought to Bark India to seek adoption possibilities.

Finally Mr. Arun himself adopted the dog when Bark India provided free sterilisation and vaccinations. After medical check-ups, castration and vaccinations, the dog was adopted to his new happy life.

The Knowledge Box



Canine Parvovirus

What is CPV ? Canine Parvovirus is a contagious virus that affects dogs, mostly unvaccinated dogs. Parvo spreads from dog to dog through direct and indirect contact. The highly contagious disease affects the stomach, bone marrow tissue and intestine of the animal.



Who are at Risk? Unvaccinated puppies and dogs are at risk of parvo virus. Puppies below the age of 6 months are more prone to the disease than adults.

What is the risk ? Death can happen in 2- 4 days time if treatment is not given.

Chance of survival- The recovery and survival are possible based on the immunity of the animal and medical treatment given. The quicker the treatment starts, the quicker the recovery possibility is.

What are the symptoms ? Early symptoms involve lack of appetite, lethargy and weakness, abdominal pain, hypothermia, and the later symptoms include persistent bloody diarrhea and vomiting that causes dehydration and damage to immune system and intestine.

What is the treatment ? Treatment for parvovirus includes intravenous fluids to stop dehydration, and other medications can include antibiotics, pain killers, anti-sickness medications other drugs to stop diarrhea and vomiting

How can I know if my dog has parvo? Along with various tests for the diagnosis, your vet can make a direct diagnosis from symptoms. Consult your vet if your puppy has inactiveness, dullness, lack of appetite or any of the symptoms.

Can humans get CPV ? No. Humans do not get Canine Parvovirus. But humans can cause spreading the virus by carrying them on clothes, hands, shoes etc from an infected animal.

How can I prevent my puppy from parvovirus? The prevention includes multi-antigen vaccination. 2 -3 doses of multi-antigen vaccination helps preventing the virus and reducing the mortality rate. Puppies has to be given 1st dose of vaccine at the age of 45 days and second dose after 21 days of 1st dose. After the prescribed doses of vaccines, they can be vaccinated yearly.

Prevention is better than cure !

Make sure your pets are vaccinated with multi- antigen vaccines.



Support us helping the Voiceless strays

We make sure your support makes a change in their life
!

WHY YOUR SUPPORT IS IMPORTANT?

Your donations go where the need is greatest. Financial donations make a HUGE difference for animal charities including the medical, food, infrastructure needs of animals. Your support goes directly for their welfare. The best you support, the best we are able to help strays.

Join us in the community effort.



Bark India Charitable Trust
+91 94870 07552



9487007552@okbizaxis

Gpay No- 9487007552



Help them in-kind

- Veterinary medicine
- Veterinary supplements
- Cooking rice
- Dog & Puppy foods
- Cat & Kitten foods
- Old clothes
- Newspapers
- Dog collars & Leash
- Cotton and guaze
- Other veterinary supplies

Donate today to make a change

